

Step 21:

Your Tiny Toes R40 Ace tricycle is now ready for use!



Safety Instructions

- Always have an adult assemble the tricycle.
- Never leave your child unattended while using the tricycle.
- Do not exceed the recommended weight limit.
- Keep away from stairs, steep slopes, uneven surfaces, or thresholds to avoid tipping or falls.
- Keep the tricycle away from fire, heaters, or direct flames.
- Do not use the tricycle on roads, driveways, or any area with moving vehicles.
- Do not let other children push the tricycle while your child is seated.
- Always exercise caution to prevent accidents or collisions.
- Regularly check and tighten all screws and parts to ensure safety and proper functioning.



Marketed By: **R FOR RABBIT BABY PRODUCTS PVT. LTD.**
307, 3rd Floor, Pinnacle Business Park, Corporate Road,
Prahlanagar, Ahmedabad, Gujarat, India-380015
For Customer Complaints/Feedback:
☎ +91-734-834-0934 / 734-834-9340
🌐 www.rforrabbit.com
✉ customercare@rforrabbit.com
Find us on:


Manufactured by: **FUNRIDE TOY LLP**
Plot No.8/4A, Site-IV, Sahibabad,
Industrial Area, Ghaziabad-201010

For Installation Video

Scan QR or
Visit YouTube



Search for
Product Details



*Picture shown is for illustrative purposes only. Actual product may vary from image.

TINY TOES R40 ACE


360° Reversible Plug N Play Tricycle

Installation & User Manual

IMPORTANT - KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.
FAILURE TO OBSERVE THESE INSTRUCTIONS MAY AFFECT THE SAFETY OF YOUR CHILD!



Components



Installation Steps

Step 1:

Attach the rear wheels to each side of the main frame body.



Step 2:

Remove the cap from the frame body.



Step 3:

Fix the front wheel with pedals to the frame.



Step 4:

Install the front basket by securing it in place.



Step 5:
Press the push pin and slide the handlebar into position until it clicks.



Step 6:
Tighten the handlebar screw to secure it.



Step 7:
Push the lever down to adjust the leg stand.



Step 8:
Unfold the leg stand as demonstrated.



Step 9:
Insert the rear axle under the frame. Press the push pin until it clicks.



Step 10:
Attach the hook end of the steering rod into the hole as shown in image.



Step 11:
Secure the rear axle with screw as shown in image.




Step 12:
Position the seat on the frame and align it properly.



Step 13:
Fasten all screws to secure the seat to the frame.



Step 14:
Wrap and attach the crotch strap cover over the safety rail.



Step 15:
Slide the rear fork over the rear axle. Press the push pin until it clicks.



Step 16:
Insert the parental handle into the rear fork until it clicks.



Step 17:
Attach the rear basket using screws.



Step 18:
Insert the canopy rods into the slots on either side of the seat.



Step 19:
Tighten the end caps to secure the canopy.



Step 20:
Fix the bottle holder onto the parental handle.

